


Line Scan Telecentric Lens

Model	VS-LTC2-70/FSN
Optical Mag.	× 2.0 ± 5 %
FOV	17.5 mm
WD	70.2 mm ± 2
O/I (Object & Imager Distance)	326.3 mm
Working F/# *Value at Iris Open	12.5
NA	0.080
DOF at PCoC ϕ 0.04mm	0.3 mm
TV Distortion	0.05 %
Relative Illuminance (Y=17.5)	90 %
Wavelength	Visible
Mount	F-Mount
Flange Back	46.5 mm
Sensor Size (max.)	ϕ 35 mm
Co-Axial Prism	-
Weight (approx.)	670 g
Dimension	ϕ 59 (max.) × L = 209.6 mm



△ ×				APPROVED	CHECKED	MATERIAL 材料	-	CHAMFER 一般面取	-	QUANTITY 個数	
△ ×				T. M.	T. M.	TREATMENT 処理	-	FINISHING 仕上	-	-	
△ ×						TREATMENT CONTACT 処理接点	-	DECENTRATION 偏芯	-		
△ ×				DESIGNED	DRAWN	OVER 250 UP TO 1000	±0.3 ±0.5 ±1.0 ±0.2	ANGLE 角度	METHOD 図法	REMARK 適用 (機種名)	
△ ×				T. T.	M. Y.	OVER 63 UP TO 250	±0.2 ±0.3 ±0.6 ±0.15	UNIT (mm)	-	VS-LTC2-70/F SN	
△ × 2	寸法値変更	16.02.10	M. M.			OVER 16 UP TO 63	±0.1 ±0.2 ±0.4 ±0.1				SCALE
NO. × 箇所	REVISION 訂正事項	DATE	NAME			OVER 0 UP TO 16	±0.05 ±0.1 ±0.2 ±0.1	DATE	11.05.19	DRAW NO.	01DTC0488A1
						TOLERANCES	A B C S				